


Catálogo de perfiles
estándar




GENUS
PRODUCTS

Genus Products International S.L.
C/ Girona 107, 08203 Sabadell, Barcelona
+34 620 383 639
orders@genusproducts.eu



T PROFILE					
No	A	B	C	kg/m	Die No
1.	16,2	80	1,2	0,309	1818
2.	25	25	1,1	0,145	2056
3.	30	30	1,1	0,175	2057
4.	40	40	3	0,63	1206
5.	40	40	4	0,82	1495
6.	50	50	4	1,04	1496
7.	50	50	5	1,29	1497
8.	52	100	2	0,813	2067
9.	60	60	4	1,26	1498
10.	60	60	6	1,85	1499
11.	100	100	10	5,15	1500




ANGLE PROFILE (ISOSCELES)					
No	A	B	C	kg/m	Die No
1.	15	15	1,2	0,094	2051
2.	15	15	2	0,152	1194
3.	20	20	0,7	0,074	1651
4.	20	20	0,95	0,101	1820
5.	20	20	1	0,106	1821
6.	20	20	1,2	0,126	2052
7.	20	20	2	0,206	1332
8.	20	20	3	0,301	1333
9.	25	25	1	0,133	2053
10.	25	25	2	0,260	1334
11.	25	25	3	0,382	1335
12.	30	30	1	0,160	1822
13.	30	30	1,2	0,191	2054
14.	30	30	2	0,314	1148
15.	30	30	3	0,464	1336
16.	30	30	4	0,607	1195
17.	35	35	2	0,369	1196
18.	40	40	1,2	0,256	1805
19.	40	40	2	0,423	1150
20.	40	40	3	0,626	1337
21.	40	40	4	0,824	1338
22.	40	40	5	1,017	1339
23.	45	45	2	0,477	1340
24.	50	50	2	0,531	1341
25.	50	50	3	0,789	1197
26.	50	50	4	1,041	1342
27.	50	50	5	1,288	1343
28.	60	60	2	0,640	1344
29.	60	60	3	0,952	1345
30.	60	60	4	1,258	1346
31.	60	60	5	1,559	1347
32.	60	60	6	1,854	1348
33.	80	80	5	2,101	1198
34.	80	80	8	3,296	1199
35.	100	100	10	5,151	1349



ANGLE PROFILE (UNEQUAL)


	A	B	C	kg/m	Die No
1.	25	15	2	0,206	1350
2.	30	15	2	0,233	1200
3.	30	20	2	0,260	1142
4.	30	18	1,2	0,152	2068
5.	30	20	3	0,382	1351
6.	50	18	1,2	0,217	2069
8.	40	10	2	0,260	1143
9.	40	20	1,1	0,180	2055
10.	40	20	2	0,314	122
11.	40	20	3	0,464	1352
12.	40	30	1,2	0,224	1817
13.	40	30	2	0,369	1353
14.	40	30	3	0,545	1354
15.	50	20	1,1	0,205	1801
	50	20	2	0,205	1267
16.	50	30	2	0,423	1202
17.	50	30	3	0,626	1355
18.	50	30	5	1,017	1356
19.	60	20	1,3	0,277	1802
20.	60	20	2	0,423	1357
21.	60	30	2	0,477	1359
22.	60	30	3	0,708	1360
23.	60	40	2	0,531	1361
24.	60	40	3	0,789	1362
25.	60	40	4	1,041	1363
26.	60	40	5	1,288	1364
7.	70	18	1,2	0,282	2070
27.	80	20	1,3	0,348	1804
28.	80	20	2	0,531	1365
	80	30	3	0,870	1203
29.	80	40	2	0,640	1366
30.	80	40	3	0,952	1367
31.	80	40	4	1,258	1368
32.	80	40	6	1,854	1369
33.	80	50	5	1,694	1370
34.	100	20	1,3	0,418	1816
35.	100	20	2	0,640	1371
36.	100	50	3	1,195	1204
37.	100	50	5	1,965	1372
38.	100	50	6	2,342	1373
39.	100	50	10	3,795	1374
40.	100	60	6	2,505	1375
41.	120	50	5	2,237	1376
42.	120	60	6	2,830	1377
43.	120	60	8	3,730	1378
44.	120	80	8	4,164	1379
45.	120	80	10	5,151	1380
46.	150	50	4	2,125	1381
47.	150	50	5	2,643	1382
48.	150	75	8	4,706	1383
49.	150	100	10	6,506	1384
50.	200	100	10	7,862	1385



FLAT BAR - SQUARE BAR PROFILE

No	A	B	kg/m	Die No
1.	10	10	0,271	1386
2.	15	15	0,610	1387
3.	20	3	0,163	1388
4.	20	5	0,271	1270
5.	20	10	0,542	1389
6.	20	20	1,084	1188
7.	25	5	0,339	1390
8.	25	25	1,694	1391
9.	30	3	0,244	1392
10.	30	5	0,407	1393
11.	30	8	0,651	1394
12.	30	10	0,813	1395
13.	30	30	2,440	1189
14.	40	3	0,325	1266
15.	40	4	0,434	1396
16.	40	5	0,542	1397
17.	40	6	0,65	1255
18.	40	8	0,868	1398
19.	40	10	1,084	1399
20.	40	15	1,627	1409
21.	40	20	2,169	1410
22.	40	40	4,338	1190
23.	50	3	0,407	1114
24.	50	4	0,542	1411
25.	50	5	0,678	1412
26.	50	6	0,813	1413
27.	50	8	1,084	1414
28.	50	10	1,356	1415
29.	50	15	2,033	1416
30.	50	20	2,711	1417
31.	50	50	6,778	1418
32.	60	3	0,488	1118
33.	60	4	0,651	1419
34.	60	5	0,813	1191


35.	60	6	0,976	1420
36.	60	8	1,301	1421
37.	60	10	1,63	1256
38.	60	12	1,95	1254
39.	60	15	2,440	1422
40.	60	20	3,253	1423
41.	60	60	9,760	1424
42.	70	5	0,949	1265
43.	70	8	1,518	1264
44.	70	12	2,28	1253
45.	80	5	1,084	1263
46.	80	8	1,735	1262
47.	80	10	2,169	1261
48.	80	12	2,60	1252
49.	80	15	3,253	1432
50.	80	20	4,338	1433
51.	100	5	1,355	1192
52.	100	8	2,169	1434
53.	100	10	2,711	1193
54.	100	15	4,067	1435
55.	100	20	5,422	1436
56.	120	5	1,627	1437
57.	120	10	3,253	1438
58.	120	20	6,506	1439
59.	150	5	2,033	1440
60.	150	10	4,067	1441
61.	200	10	5,422	1442
62.	250	10	6,778	1443




SQUARE TUBES PROFILE

No	A	A	C	kg/m	Die No
1.	15	15	0,6	0,093	1610
2.	15	15	1,5	0,220	1535
3.	15	15	2	0,282	1536
4.	20	20	1	0,206	1654
5.	20	20	1,5	0,301	1163
6.	20	20	2	0,390	1444
7.	25	25	1,2	0,310	2066
8.	25	25	1,5	0,382	1537
9.	25	25	2	0,499	1445
10.	25	25	3	0,716	1538
11.	30	30	1,5	0,464	2065
12.	30	30	2	0,607	1446
13.	30	30	3	0,878	1447
14.	30	30	4	1,128	1539
15.	35	35	2	0,716	1448
16.	35	35	3	1,041	1540
17.	40	40	0,8	0,340	2064
18.	40	40	1,3	0,546	1644
19.	40	40	1,5	0,626	1541
20.	40	40	2	0,824	1165
21.	40	40	3	1,204	1449
22.	40	40	4	1,562	1450
23.	40	40	5	1,898	1542
24.	45	45	2	0,933	1543
25.	50	50	2	1,041	1648
26.	50	50	3	1,529	1212
27.	50	50	4	1,995	1451
28.	50	50	5	2,440	1452
29.	60	60	2	1,258	1453
30.	60	60	3	1,854	1454
31.	60	60	4	2,429	1455
32.	60	60	5	2,982	1544

33.	70	70	2	1,475	1545
34.	70	70	3	2,180	1546
35.	70	70	4	2,863	1456
36.	80	80	2	1,692	1547
37.	80	80	3	2,505	1457
38.	80	80	4	3,296	1213
39.	80	80	5	4,0665	1548
40.	80	80	6	4,814736	1549
41.	100	100	2	2,125	1214
42.	100	100	3	3,156	1458
43.	100	100	4	4,164	1459
44.	100	100	5	5,151	1460
45.	100	100	10	9,760	1550
46.	120	120	2,5	3,185	1551
47.	120	120	4	5,032	1461
48.	120	120	5	6,235	1552
49.	150	150	3	4,782	1462
50.	150	150	5	7,862	1463
51.	200	200	10	20,604	1553




U PROFILE						
No	A	B	A	C	kg/m	Die No
1.	15	15	15	2	0,222	1501
2.	17	17,5	17	0,95	0,127	1101
3.	20	20	20	2	0,304	1502
4.	30	20	30	2	0,412	1503
5.	40	20	40	2	0,521	1504
6.	25	25	25	2	0,385	1505
7.	25	25	25	3	0,561	1506
8.	20	30	20	2	0,358	1507
9.	30	30	30	2	0,466	1508
10.	30	30	30	3	0,683	1260
11.	30	32	30	2	0,608	1953
12.	35	35	35	2	0,548	1509
13.	35	35	35	3	0,805	1510
14.	20	40	20	2	0,412	1511
15.	30	40	30	3	0,765	1512
16.	40	40	40	2	0,629	1100
17.	40	40	40	3	0,927	1513
18.	40	40	40	4	1,215	1514
19.	20	50	20	2	0,466	1515
20.	30	50	30	3	0,846	1516
21.	30	50	30	4	1,106	1517
22.	40	50	40	4	1,323	1518
23.	50	50	50	3	1,171	1519
24.	50	50	50	4	1,540	1520
25.	50	50	50	5	1,898	1521
26.	30	60	30	3	0,927	1522
27.	40	60	40	3	1,090	1523
28.	40	60	40	4	1,431	1524
29.	40	60	40	5	1,762	1525
30.	60	60	60	3	1,415	1526
31.	60	60	60	4	1,865	1527
32.	60	60	60	5	2,304	1528
33.	30	80	30	3	1,090	1529
34.	40	80	40	3	1,252	1530
35.	40	80	40	4	1,648	1531
36.	50	80	50	5	2,304	1532
37.	50	100	50	5	2,575	1205



RECTANGULAR PROFILE					
No	A	B	C	kg/m	Die No
1.	24,5	16,5	1	0,211	2063
2.	30	10	2	0,390	1554
3.	30	15	2	0,445	1555
4.	30	20	2	0,499	1464
5.	31,5	10	1	0,211	1612
6.	40	15	2	0,553	1556
7.	40	20	0,8	0,253	2071
8.	40	20	1	0,314	2062
9.	40	20	1,3	0,405	1645
10.	40	20	2	0,607	1465
11.	40	20	3	0,878	1466
12.	40	25	2	0,661	1559
13.	40	30	2	0,716	1467
14.	40	30	3	1,041	1560
15.	50	15	2	0,661	1215
16.	50	25	2	0,770	1216
17.	50	25	3	1,122354	1561
18.	50	20	2	0,716	1166
19.	50	30	2	0,824	1646
20.	50	30	3	1,204	1468
21.	50	40	0,9	0,430	2061
22.	50	40	3	1,366	1566
23.	60	20	2	0,824	1469
24.	60	20	3	1,204	1217
25.	60	30	2	0,933	1470
26.	60	30	3	1,366	1471
27.	60	40	1,5	0,789	1609
28.	60	40	2	1,041	1649
29.	60	40	3	1,529	1472
30.	60	40	4	1,995	1473
31.	70	20	2	0,933	1218
32.	70	25	1,2	0,602	1647
33.	70	40	3	1,692	1567
34.	80	20	2	1,041	1474
35.	80	30	2	1,149	1126
36.	80	30	3	1,692	1562
37.	80	40	1,6	1,013	1602

38.	80	40	2	1,258	1475
39.	80	40	3	1,854	1476
40.	80	40	4	2,429	1477
41.	80	50	2	1,366	1572
42.	80	50	3	2,017	1573
43.	80	50	4	2,646	1574
44.	80	60	3	2,180	1478
45.	80	60	4	2,863	1479
46.	90	50	2	1,475	1611
47.	97	20	1,2	0,743	1643
48.	100	15	1	0,613	1642
49.	100	20	0,8	0,514	1653
50.	100	20	1	0,640	1652
51.	100	20	2	1,258	1480
52.	100	25	2	1,312	1219
53.	100	30	2	1,366	1564
54.	100	30	3	2,017	1563
55.	100	40	2	1,475	1568
56.	100	40	3	2,180	1220
57.	100	40	4	2,863	1569
58.	100	50	2	1,583	1481
59.	100	50	3	2,342	1482
60.	100	50	4	3,080	1483
61.	100	50	5	3,795	1484
62.	100	60	3	2,505	1576
63.	100	60	4	3,297	1577
64.	100	80	3	2,830	1579
65.	100	80	4	3,730	1580
66.	120	20	2	1,475	1485
67.	120	30	2	1,583	1565
68.	120	30	3	2,342	1586
69.	120	40	2	1,692	1570
70.	120	40	4	3,297	1571
71.	120	50	3	2,668	1221
72.	120	50	4	3,514	1222
73.	120	60	3	2,830	1486
74.	120	60	4	3,730	1487
75.	120	80	3	3,156	1223
76.	120	80	4	4,598	1581
77.	140	60	4	4,164	1578
78.	140	80	4	4,598	1224
79.	150	20	2	1,800	1557
80.	150	40	4	3,947	1587
81.	150	50	2	2,125	1488
82.	150	50	3	3,156	1225
83.	150	50	4	4,164	1489
84.	150	80	4	4,815	1582
85.	150	100	3	3,969	1490
86.	150	100	4	5,248	1491
87.	160	80	4	5,032	1492
88.	200	20	2	2,342	1558
89.	200	50	4	5,248	1493

90.	200	80	4	5,899	1583
91.	200	100	4	6,333	1494
92.	250	50	3	4,782	1575
93.	250	100	4	7,417	1584

			
ROUND BAR PROFILE			
No	ØA	Kg/m	Die No
1.	8	0,14	1401
2.	10	0,21	1402
3.	12	0,31	1403
4.	15	0,48	1326
5.	16	0,545	1406
6.	19	0,769	1425
7.	20	0,852	1431
8.	25	1,33	1186
9.	30	1,92	1327
10.	35	2,61	1328
11.	40	3,41	1329
12.	45	4,31	1330
13.	50	5,32	1187
14.	60	7,66	1331



ROUND TUBE PROFILE

No	A	C	Kg/m	Die No
1.	10	1	0,077	2898
2.	15,5	1,1	0,135	2896
3.	16	1,2	0,151	2881
4.	16	1,5	0,185	2770
5.	16	2	0,238	2760
6.	18	1	0,145	2900
7.	19	1,1	0,168	2780
8.	19	1,2	0,182	1711
9.	19	1,3	0,196	2768
10.	20	1,5	0,236	1774
11.	20	2	0,306	1201
12.	20	4,75	0,617	1775
13.	25	1,5	0,300	1208
14.	25	2	0,392	1207
15.	25	3	0,562	1226
16.	30	1,5	0,364	1227
17.	30	2	0,477	2759
18.	30	3	0,690	1228
19.	30	4	0,885	1229
20.	30	5	1,064	1230
21.	30,5	5	1,086	1771
22.	32	2	0,511	1209
23.	34	2,5	0,670	1258
24.	35	2	0,562	2758
25.	35	2,5	0,692	1259
26.	35	3	0,817	1231
27.	40	2	0,647	2756
28.	40	3	0,945	1232
29.	40	4	1,226	1233
30.	40	5	1,490	1234
31.	42	2,5	0,841	1257
32.	42	3	0,996	1210
33.	42	8	2,317	1777
34.	42	9,5	2,630	1769
35.	44,5	8,75	2,664	1767

36.	45	2	0,732	1235
37.	48	3	1,149	1236
38.	48	4	1,498	1237
39.	50	1,5	0,620	2751
40.	50	1,8	0,739	2753
41.	50	2	0,818	2761
42.	50	3	1,200	1238
43.	50	4	1,566	1239
44.	50	5	1,915	1240
45.	50	8,5	3,004	1768
46.	51,5	10,75	3,731	1770
47.	54	10,75	3,960	1766
48.	60	2	0,987	1241
49.	60	3	1,456	1242
50.	60	4	1,907	1243
51.	60	5	2,341	1244
52.	60	10	4,256	1533
53.	60,5	11,5	4,799	1765
54.	65	2	1,073	1245
55.	70	3	1,711	1246
56.	70	5	2,767	1247
57.	80	2	1,328	1248
58.	80	3	1,966	1249
59.	80	5	3,192	1317
60.	90	5	3,618	1318
61.	90	13,5	8,795	1773
62.	100	2	1,668	1319
63.	100	3	2,478	1211
64.	100	5	4,043	1320
65.	100	10	7,661	1534
66.	110	5	4,469	1321
67.	120	5	4,895	1322
68.	140	5	5,746	1323
69.	150	3	3,754	1324
70.	150	5	6,172	1325
71.	200	5	8,2997265	1585